

AXAGLUE M

1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name : **AXAGLUE M**
Application : Primer for painted or unpainted Metal support. Ready to use.

Company : **AXACOUSTIC Sarl**
10 Rue Pierre Mendès France - 69120 VAULX EN VELIN

Téléphone : +33 (0)4 78 92 09 16
Email : contact@axacoustic.fr

2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture :
Other hazards : Not classified according to Regulation (EC) N° 1272/2008
May produce an allergic reaction. (EUH208).

3 – COMPOSITION – INFORMATION ON INGREDIENTS

Chemical Nature : Aqueous dispersion based on vinylic copolymers

Dangerous components :
5-chloro-2methyl-2H-isothiazol-3-one (CAS n° : 26172-55-4)
2-methyl-2H-isothiazol-3-one (CAS n° : 2682-20-4)
1,2-benzisothiazol-3(2H)-one (CAS n° : 2634-33-5)
Cmit Total Concentration < 15 ppm

4 – FIRST AID MEASURES

Inhalation : Move to fresh air. Call a doctor in case of emergency.

Skin Contact : Wash off immediately with soap and plenty of water.

Eye Contact : Rinse immediately with plenty of water. In case of persistent irritation, consult an ophtalmologist.

Ingestion : Do not induce vomiting. Call a doctor in emergency.

5 – FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water Spray.

Specific Hazards : None.

Special protective equipment : Use personal protective equipment.

6 – ACCIDENTAL RELEASE MEASURES

Personal precautions : Use personal protective equipment including gloves.

Environmental equipment : Spread appropriate absorbent materials
Avoid any contamination with groundwater.
Do not let product enter drains.

Methods for cleaning up : Clean with appropriate absorbent materials. Collect the product with a shovel.
Rinse marks with water.

AXAGLUE M

7 - HANDLING AND STORAGE

Handling : Provide appropriate ventilation.

Storage : Keep away from intensive heat and frost. Storage temperature : 5°C - 40°C.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

General precautions: Ventilate work station.

Personal protective equipment:

Respiratory protection : In the case of vapor formation use a respirator with an approved filter.

Hand protection : Suitable Gloves.

Eye protection : Safety Goggles.

Skin protection : Protective Clothing.

9 - PHYSICAL AND CHEMICAL PROPERTIES

Form :	Slightly thick whitish liquid
Density at 20° C :	1.005 ± 0.005
Odor :	None
pH :	7,5
Melting point :	Not concerned
Flash point :	Not concerned
Ignition point :	Not concerned
Dry Matter Content :	40% ± 1 %
Viscosity at 25°C :	Not determined
Water Solubility :	Soluble

10 - STABILITY AND REACTIVITY

Conditions to avoid : Keep away from intensive heat and frost.

Products of decomposition : No data available.

11 - TOXICOLOGICAL INFORMATION

Acute toxicity:

Ingestion : Do not ingest.

Local effects :

Skin irritation : Non-irritating

Eye irritation : Slightly irritating.

12 - ECOLOGICAL INFORMATION

Ecotoxicity : No data available on biodegradability.

Recommended precautions : Do not let product enter drains

13 – DISPOSAL CONSIDERATIONS

Elimination : Can be incinerated, when in compliance with local regulations.

14 – TRANSPORT INFORMATION

Transport : Fears frost.
Keep away from food.

Classification :

ONU Number :	Not Regulated.
RMTDR :	Not Regulated.
ADR/RID :	Not Regulated.
IMDG Class :	Not Regulated.
OACI/IATA :	Not Regulated.

15 – REGULATORY INFORMATION

Classification / Labelling : Not a hazardous substance or preparation.

Risk Phrases : None.

Safety Phrases : S7 : Keep the container tightly closed
S 25 : Avoid contact with eyes.

Directive 2004/42/CE (VOC) : Product category : a / PA.
Limit Values max : 75g/L (2007) and 30g/L (2010).
This product contains less than 1g/L of VOC.

16 – OTHER INFORMATION

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.
It characterizes the product with regard to the appropriate safety precautions.
All information is given in good faith but without guarantee in respect of accuracy & no responsibility is accepted for errors or omissions or the consequences thereof.